



## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name:** TITAN RACE PRO R 15W-50

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer / Supplier**

FUCHS LUBRICANTS (UK) PLC.  
New Century Street  
Hanley  
Stoke-on-Trent, Staffordshire, ST1 5HU  
UK

Telephone: +44 (0) 1782 203700

**Contact Person:**

Telephone: Product Safety department  
+44 (0) 1782 203700  
E-mail: product.safety@fuchs-oil.com

**1.4 Emergency telephone number:** +44 (0) 1782 203700

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

**Hazard summary**

**Physical Hazards:** No data available.

#### 2.2 Label Elements

EUH208: Contains Calcium sulfonate. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

**Product name:** TITAN RACE PRO R 15W-50

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**General information:** Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
polyolefin polyamine succinimide borated	Polymer	1,00 - <5,00%		
Polyolefin polyamine succinimide	Polymer	1,00 - <5,00%		
ZnDTP	272-028-3	1,00 - <2,50%	01-2119657973-23	
Calcium sulfonate	271-877-7	0,10 - <1,00%		
Branched alkyl phenol and Ca branched alkyl phenol	Polymer	0,10 - <0,25%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Identifier	Classification
polyolefin polyamine succinimide borated	Polymer	CLP: Aquatic Chronic 4;H413
Polyolefin polyamine succinimide	Polymer	CLP: Aquatic Chronic 4;H413
ZnDTP	272-028-3	CLP: Eye Dam. 1;H318, Aquatic Chronic 2;H411
Calcium sulfonate	271-877-7	CLP: Skin Sens. 1;H317, Aquatic Chronic 4;H413
Branched alkyl phenol and Ca branched alkyl phenol	Polymer	CLP: Repr. 1B;H360, Aquatic Chronic 1;H410, Skin Irrit. 2;H315, Eye Irrit. 2;H319

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

**General:** Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into clothing pockets.

#### 4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water. The product is not skin irritating.



**Product name:** TITAN RACE PRO R 15W-50

---

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** May cause skin and eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Hazards:** No data available.

**Treatment:** Get medical attention if symptoms occur.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

**5.3 Advice for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:** In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** Prevent from spreading (e.g. by binding or oil barriers).

**6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust).

**6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

**Product name:** TITAN RACE PRO R 15W-50

---

## SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.
- 7.2 Conditions for safe storage, including any incompatibilities:** Local regulations concerning handling and storage of waterpolluting products have to be followed. Prevent formation of aerosols. Do not heat up to temperatures close to the flash point.
- 7.3 Specific end use(s):** No data available.
- Storage Class:** 10, Combustible liquids

## SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters

#### Occupational Exposure Limits

None of the components have assigned exposure limits.

### 8.2 Exposure controls

#### Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

##### General information:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

##### Eye/face protection:

Safety glasses (EN 166) recommended during refilling.

##### Skin protection

##### Hand Protection:

Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### Other:

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

##### Respiratory Protection:

Seek advice from local supervisor. Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

**Product name:** TITAN RACE PRO R 15W-50

---

<b>Thermal hazards:</b>	No data available.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
<b>Environmental Controls:</b>	No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	liquid
<b>Color:</b>	Red
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	not applicable
<b>Freezing point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	> 100 °C
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Flammability Limit - Upper (%)-:</b>	No data available.
<b>Flammability Limit - Lower (%)-:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density (air=1):</b>	No data available.
<b>Density:</b>	0,86 g/cm <sup>3</sup> (15 °C)

#### Solubility(ies)

<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.

**Partition coefficient (n-octanol/water):** No data available.

**Autoignition Temperature:** No data available.

**Decomposition Temperature:** No data available.

**Kinematic viscosity:** 144 mm<sup>2</sup>/s (40 °C)

**Explosive properties:** No data available.

**Oxidizing properties:** No data available.

**9.2 Other information** No data available.

**Product name:** TITAN RACE PRO R 15W-50

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity:</b>	Stable under normal temperature conditions and recommended use.
<b>10.2 Chemical Stability:</b>	No data available.
<b>10.3 Possibility of hazardous reactions:</b>	None under normal conditions.
<b>10.4 Conditions to avoid:</b>	Avoid heat or contamination.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Oral

###### Product:

Not classified for acute toxicity based on available data.

###### Specified substance(s)

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	LD 50 (Rat): > 2.001 mg/kg
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

##### Dermal

###### Product:

Not classified for acute toxicity based on available data.

###### Specified substance(s)

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	LD 50 (Rat): > 2.001 mg/kg
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Product name:** TITAN RACE PRO R 15W-50

---

**Inhalation**

**Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Repeated dose toxicity**

**Product:**

No data available.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Skin Corrosion/Irritation:**

**Product:**

No data available.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Serious Eye Damage/Eye Irritation:**

**Product:**

No data available.



**Product name:** TITAN RACE PRO R 15W-50

---

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Respiratory or Skin Sensitization:**

**Product:** No data available.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.



**Product name:** TITAN RACE PRO R 15W-50

---

### **Germ Cell Mutagenicity**

#### **In vitro**

**Product:** No data available.

#### **Specified substance(s)**

polyolefin polyamine succinimide borated

No data available.

Polyolefin polyamine succinimide

No data available.

ZnDTP

No data available.

Calcium sulfonate

No data available.

Branched alkyl phenol and Ca branched alkyl phenol

No data available.

#### **In vivo**

**Product:** No data available.

#### **Specified substance(s)**

polyolefin polyamine succinimide borated

No data available.

Polyolefin polyamine succinimide

No data available.

ZnDTP

No data available.

Calcium sulfonate

No data available.

Branched alkyl phenol and Ca branched alkyl phenol

No data available.

### **Carcinogenicity**

**Product:** No data available.

#### **Specified substance(s)**

polyolefin polyamine succinimide borated

No data available.

Polyolefin polyamine succinimide

No data available.

ZnDTP

No data available.

Calcium sulfonate

No data available.

Branched alkyl phenol and Ca branched alkyl phenol

No data available.

### **Reproductive toxicity**

**Product:** No data available.



**Product name:** TITAN RACE PRO R 15W-50

---

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s)**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.



**Product name:** TITAN RACE PRO R 15W-50

---

**Other Adverse Effects:** No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Acute toxicity

##### Fish

**Product:** No data available.

##### Specified substance(s)

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

##### Aquatic Invertebrates

**Product:** No data available.

##### Specified substance(s)

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

#### Chronic Toxicity

##### Fish

**Product:** No data available.

##### Specified substance(s)

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**Product name:** TITAN RACE PRO R 15W-50

---

#### **Aquatic Invertebrates**

**Product:** No data available.

#### **Specified substance(s)**

polyolefin polyamine No data available.

succinimide borated

Polyolefin polyamine No data available.

succinimide

ZnDTP No data available.

Calcium sulfonate No data available.

Branched alkyl phenol No data available.

and Ca branched alkyl  
phenol

#### **Toxicity to Aquatic Plants**

**Product:** No data available.

#### **Specified substance(s)**

polyolefin polyamine No data available.

succinimide borated

Polyolefin polyamine No data available.

succinimide

ZnDTP No data available.

Calcium sulfonate No data available.

Branched alkyl phenol No data available.

and Ca branched alkyl  
phenol

### **12.2 Persistence and Degradability**

#### **Biodegradation**

**Product:** No data available.

#### **Specified substance(s)**

polyolefin polyamine No data available.

succinimide borated

Polyolefin polyamine No data available.

succinimide

ZnDTP No data available.

Calcium sulfonate No data available.

Branched alkyl phenol No data available.

and Ca branched alkyl  
phenol

### **12.3 Bioaccumulative Potential**

**Product:** No data available.

#### **Specified substance(s)**

**Product name:** TITAN RACE PRO R 15W-50

---

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**12.4 Mobility in Soil:** No data available.

**Known or predicted distribution to environmental compartments**

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**12.5 Results of PBT and vPvB assessment:** No data available.

polyolefin polyamine succinimide borated	No data available.
Polyolefin polyamine succinimide	No data available.
ZnDTP	No data available.
Calcium sulfonate	No data available.
Branched alkyl phenol and Ca branched alkyl phenol	No data available.

**12.6 Other Adverse Effects:** No data available.

**Water Hazard Class (WGK):** WGK 2: water-endangering.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

**European Waste Codes**

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils



**Product name:** TITAN RACE PRO R 15W-50

---

<b>SECTION 14: Transport information</b>
--

**ADR/RID**

- 14.1 UN Number: —
- 14.2 UN Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
  - Class: Non-dangerous goods
  - Label(s): —
  - Hazard No. (ADR): —
  - Tunnel restriction code: —
- 14.4 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

**ADN**

- 14.1 UN Number: —
- 14.2 UN Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
  - Class: Non-dangerous goods
  - Label(s): —
- 14.3 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

**IMDG**

- 14.1 UN Number: —
- 14.2 UN Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
  - Class: Non-dangerous goods
  - Label(s): —
  - EmS No.: —
- 14.3 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

**IATA**

- 14.1 UN Number: —
- 14.2 Proper Shipping Name: —
- 14.3 Transport Hazard Class(es):
  - Class: Non-dangerous goods
  - Label(s): —
- 14.4 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** not applicable.



**Product name:** TITAN RACE PRO R 15W-50

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### EU Regulations

**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:** none

**Regulation (EC) No. 850/2004 on persistent organic pollutants:** none

### 15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

**Revision Information:** Vertical lines in the margin indicate an amendment.

### Wording of the H-statements in section 2 and 3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Other information:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

### Revision Date:

06.10.2015

### Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.